M	F	Ρ	1	2	/1	8	0/	7
---	---	---	---	---	----	---	----	---

			•		
Resident Name:		Review Date:	RT:		
MAID # (Required):	Review Date:	ST:		
6 Month Requirem	ent Met: YesYes	No Acuity Determina	ition:	Date:	
	gathered through assessment/observation/intervious and any recent updates to the MDS.	ew of the resident, nursing facility staff interviews, and clinical rec	ord review. Spe	ecial attention should be made to documentation	
	Level I	Level 2	Level 3		
BED MOBILITY	Independent/standby assist or non-weight bearing assist to move from one position to another 2-3 x wk \square	Requires physical help of one person 4-5 x wk	Requires physical help of 2 or more persons 6-7 x wk		
TRANSFER	Independent/standby assist or non-weight bearing assist to move to/from surfaces 2-3 x wk	Requires physical help of one person 4-5 x wk	Requires ph	ysical help of 2 or more persons 6-7 x wk	
EATING/ FEEDING	Independent after setup help and/or oversight, encouragement or cueing 2-3 x week □	Requires physical help of one person 4-5 x wk	Requires physical help of 2 or more persons 6-7 x wk		
TOILET USE	Independent/occasionally incontinent requiring physical help 2-3 x wk □	Requires physical help of one person 4-5 x wk	Requires ph	ysical help of 2 or more persons 6-7 x wk	
PERSONAL HYGIENE	Independent/supervision in care, but requires physical help with bathing, dressing &/or grooming 2-3 x wk □	Requires physical help of one person 4-5 x wk	Requires ph	ysical help of 2 or more persons 6-7 x wk	
COGNITION/ BEHAVIOR	No problems	Decisions poor (e.g., cues & supervision required)/ Behavior indicators present but easily altered.		paired (e.g., never or rarely makes decisions)/ dicators present & not easily altered.)	
MEDICAL CONDITION	Stable with routine medical/nursing monitoring and care.	Requires frequent monitoring to maintain stability (e.g., unstable hypertension needing frequent assessment and medication adjustment).		ense professional intervention to maintain stability ble diabetes, coma, terminal illness).	
MEDICAL/ NURSING TREATMENTS	None/routine (e.g., ROM, injections, routine medication administration, routine catheter care).	Requires skilled treatment in addition to routine medication administration (e.g., sterile dressings, new colostomy, etc.)	treatment 6-	rense professional intervention to provide skilled 7 x wk (e.g., tracheotomy care, intravenous care ube feedings, extensive decubitus ulcers, etc.)	
MAKING SELF UNDERSTOOD/	No problems	Usually understood (e.g., difficulty finding words)/ Usually understands (e.g., responds adequately		r understood. r understands.	

to simple, direct communication)

For ADLs: *Non-weight bearing assist means guided maneuvering of limbs.

UNDERSTANDS

*Physical help means weight bearing assist to complete tasks.